Aaltonen V, 232
Abrams JT, 946
Adzick NS, 110
Aeschlimann D, 268
Ahonen M, 416
Airola K, 416
Aiso S, 174
Albalat R, 277
Albanesi C, 138
Alliot FA, 782
Amagai M, 62, 76, 388
Anders S, 122
Anderson WB, 332
Ando-Akatsuka Y, 862
Antón R, 303
Arima Y, 24
Asano K, 218
Ashkenazi I, 20
Astori G, 752
Aszterbaum M, 885
Aznar J, 185

Baba T, 24
Baden HP, 277
Bailey M, 958
Baker MS, 917
Bale SJ, 170
Baloul S, 311
Banno Y, 376
Barnetson RStC, 824
Bartels J, 90
Bastiaens MT, 880
Bates R, 986
Bauer JW, 165, 170
Beaurline JM, 734
Bedigan HG, 986
Bench G, 399
Benton C, 752
Berg RJW, 405
Bergman W, 788
Bernd A, 364
Bernstein EF, 343
Beyerle A, 966
Bichakjian CK, 179
Bickers DR, 190
Bikle DD, 368, 730
Birch-Machin MA, 149
Bisson S, 263
Bittoun J, 782
Björkstrand A-S, 232
Black C, 416
Black MM, 103
Block A, 867
Blume-Peytavi U, 84
Boggess D, 986
Bollinger Bollag W, 318
Böni R, 215, 438
Bonifas JM, 885
Bonnekoh B, 867
Borelli S, 224
Bornscheuer E, 90
Borradori L, 282
Bos JD, 978
Botha R, 247
Bouwes Bavinck JN, 880
Bowden PE, 158
Boyd CD, 840
Brilliant MH, 777
Brown BE, 383
Brown DA, 428
Brown H, 917
Bruch-Gerharz D, 1
Bruijn JA, 880
Bucana Corazon D. 188
Bucana Corazon D. 811
Büdinger Lioba 282
Bulfone-Paus Silvia 457
Bull HA, 127
Burden AD, 958
Burg G, 215, 762
Burgeson R, 277
Burgett B, 986
Burke EM, 13
Butler CE, 908
Byeon SW, 811

Camacho F, 185
Camp RDR, 725, 987
Carroll JM, 358
Caunt D, 894
Cavani A, 138
Ceci R, 34
Champliaud D, 277
Champliaud M-F, 277
Chan LS, 103
Chang L-J, 800
Charalambopoulou GCh, 989
Chen M, 103
Chen S-H, 867
Chen S, 247
Chen W, 84
Cheng L, 188
Choate KA, 8
Chooback L, 767
Chopra A, 52
Chopra S, 127
Christensen DH, 393
Christiano AM, 449, 452
Christophers E, 90
Chujor CSN, 287
Cimperman J, 211
Cluzan RV, 782
Coleman AB, 793
Collombel C, 972
Compton CC, 908
Compton JG, 170
Conklin D, 428
Connor M, 958
Cook MJ, 301
Cooper KD, 422
Coulombe PA, 13
Couture AM, 734
Cremer A, 153
Crumrine D, 399
Cullander C, 399

Dai R, 29
Damian DL, 824
Damour O, 972
Darling TN, 165, 170, 438
Das PK, 978
Daser A, 224
Datta SC, 297
De Gruijl FR, 405
De Rie MA, 978
De Villiers E-M, 752
Desrosiers RC, 894
Di Nuzzo S, 978
Dimon-Gadal S, 872
Dong Z, 188
Dowd PM, 127
Du Z, 894

Eady RAJ, 132
Eberle J, 263
Egawa K, 752
Ekbote SK, 946
Elder JT, 179
Elias PM, 368, 383, 399
Eller MS, 353
Ellis J, 849
Endlich A, 57
Epstein Jr EH, 885, 847
Esgleyes T, 303
Evain-Brion D, 332, 872

Fairley JA, 103
Fan Q, 746
Farthmann B, 263
Favre M, 311
Feingold KR, 368, 399
Felix CA, 767
Filgueira L, 762
Filippi M, 95
Fisher GJ, 297
Fisher M, 885
Fleckman P, 854
Fluck J, 153
Foreman JC, 127
Frank J, 449, 452
Friedman M, 368
Fritsch M, 84
Fryer JP, 777
Fujimoto K, 862
Furukawa F, 253
Furuse M, 862

Garbe C, 752
García-Hernández MJ, 185
Gardner JM, 777
Gasparro FP, 183
George J, 428
Ghahary A, 800
Gibson SJ, 734
Gilchrest BA, 353
Gilliam AC, 422
Ginsburg D, 917
Girolomoni G, 138
Gniadecka M, 393
Goerdt S, 84
Goerz G, 449
Goldberg S, 179
Goldsmith LA, 847
Goldsmith PC, 127
Gollnick H, 844
Gordon KB, 103
Grabbe S, 272
Graham RM, 452
Greenhalgh DA, 867
Griner RD, 318
Grinnell F, 67, 771
Gruis NA, 788
Gstöttner M, 263
Guy R, 410

Haake A, 847
Haase C, 282
Habener JF, 238
Hafner M, 122
Hagiwara S, 828
Hahn M, 982
Hainey SD, 158
Haldane F, 149
Hales JM, 725
Halliday GM, 824
Hammerberg C, 422
Hammerschmid F, 287
Hanada K, 24, 100, 259
Hanakawa Y, 76
Hanley K, 368, 399
Harrap M, 849
Harrison M, 110
Hashimoto I, 24, 100, 259
Hashimoto Koji 76
Hashimoto MW, 143, 806
Hashimoto T, 41, 103
Haus E, 20
Hawk JLM, 452
He SS, 368
He Y, 67
Heine M, 441
Heinsohn G, 98
Henz BM, 186
Hertl M, 282, 62, 388
Herz U, 224
Heubach T, 982
Heuck D, 844
Hibi T, 837
Hietarinta M, 416
Hille ETM, 788
Hinter H, 165
Hintner H, 170
Hintze U, 98
Hiraoka Y, 174
Hirvonen O, 232
Ho V, 72
Höckmayr B, 752
Hodgins MB, 158
Hodgins M, 958
Hoefnagel JJ, 880
Hohl D, 268
Holleran WM, 383
Holmes D, 110
Holubar K, 102
Houghton AJ, 324
Huber M, 268
Hunzelmann N, 122

Ibbotson SH, 79
Idy-Peretti I, 782
Ihn H, 47
Iizuka H, 218, 923
Ikeda S, 847
Ikenaga M, 143
Imamura S, 862
Imbertson LM, 734
Inoue N, 923
Inoue S, 116, 889
Ioffe A, 989
Ishida-Yamamoto A, 218, 923
Ishigaki Y, 806
Ishii K, 62
Ito Y, 376
Itoh M, 862
Iwamoto I, 41
Iwasaki-Beesho Y, 376

0022-202X/98/$10.50 • Copyright © 1998 by The Society for Investigative Dermatology, Inc.

Aaltonen V, 232
Abrams JT, 946
Adzick NS, 110
Aeschlimann D, 268
Ahonen M, 416
Airola K, 416
Aiso S, 174
Albalat R, 277
Albanesi C, 138
Alliot FA, 782
Amagai M, 62, 76, 388
Anders S, 122
Anderson WB, 332
Ando-Akatsuka Y, 862
Antón R, 303
Arima Y, 24
Asano K, 218
Ashkenazi I, 20
Astori G, 752
Aszterbaum M, 885
Aznar J, 185

Baba T, 24
Baden HP, 277
Bailey M, 958
Baker MS, 917
Bale SJ, 170
Baloul S, 311
Banno Y, 376
Barnetson RStC, 824
Bartels J, 90
Bastiaens MT, 880
Bates R, 986
Bauer JW, 165, 170
Beaurline JM, 734
Bedigan HG, 986
Bench G, 399
Benton C, 752
Berg RJW, 405
Bergman W, 788
Bernd A, 364
Bernstein EF, 343
Beyerle A, 966
Bichakjian CK, 179
Bickers DR, 190
Bikle DD, 368, 730
Birch-Machin MA, 149
Bisson S, 263
Bittoun J, 782
Björkstrand A-S, 232
Black C, 416
Black MM, 103
Block A, 867
Blume-Peytavi U, 84
Boggess D, 986
Bollinger Bollag W, 318
Böni R, 215, 438
Bonifas JM, 885
Bonnekoh B, 867
Borelli S, 224
Bornscheuer E, 90
Borradori L, 282
Bos JD, 978
Botha R, 247
Bouwes Bavinck JN, 880
Bowden PE, 158
Boyd CD, 840
Brilliant MH, 777
Brown BE, 383
Brown DA, 428
Brown H, 917
Bruch-Gerharz D, 1
Bruijn JA, 880
Bucana Corazon D. 188
Bucana Corazon D. 811
Büdinger Lioba 282
Bulfone-Paus Silvia 457
Bull HA, 127
Burden AD, 958
Burg G, 215, 762
Burgeson R, 277
Burgett B, 986
Burke EM, 13
Butler CE, 908
Byeon SW, 811

Camacho F, 185
Camp RDR, 725, 987
Carroll JM, 358
Caunt D, 894
Cavani A, 138
Ceci R, 34
Champliaud D, 277
Champliaud M-F, 277
Chan LS, 103
Chang L-J, 800
Charalambopoulou GCh, 989
Chen M, 103
Chen S-H, 867
Chen S, 247
Chen W, 84
Cheng L, 188
Choate KA, 8
Chooback L, 767
Chopra A, 52
Chopra S, 127
Christensen DH, 393
Christiano AM, 449, 452
Christophers E, 90
Chujor CSN, 287
Cimperman J, 211
Cluzan RV, 782
Coleman AB, 793
Collombel C, 972
Compton CC, 908
Compton JG, 170
Conklin D, 428
Connor M, 958
Cook MJ, 301
Cooper KD, 422
Coulombe PA, 13
Couture AM, 734
Cremer A, 153
Crumrine D, 399
Cullander C, 399

Dai R, 29
Damian DL, 824
Damour O, 972
Darling TN, 165, 170, 438
Das PK, 978
Daser A, 224
Datta SC, 297
De Gruijl FR, 405
De Rie MA, 978
De Villiers E-M, 752
Desrosiers RC, 894
Di Nuzzo S, 978
Dimon-Gadal S, 872
Dong Z, 188
Dowd PM, 127
Du Z, 894

Eady RAJ, 132
Eberle J, 263
Egawa K, 752
Ekbote SK, 946
Elder JT, 179
Elias PM, 368, 383, 399
Eller MS, 353
Ellis J, 849
Endlich A, 57
Epstein Jr EH, 885, 847
Esgleyes T, 303
Evain-Brion D, 332, 872

Fairley JA, 103
Fan Q, 746
Farthmann B, 263
Favre M, 311
Feingold KR, 368, 399
Felix CA, 767
Filgueira L, 762
Filippi M, 95
Fisher GJ, 297
Fisher M, 885
Fleckman P, 854
Fluck J, 153
Foreman JC, 127
Frank J, 449, 452
Friedman M, 368
Fritsch M, 84
Fryer JP, 777
Fujimoto K, 862
Furukawa F, 253
Furuse M, 862

Garbe C, 752
García-Hernández MJ, 185
Gardner JM, 777
Gasparro FP, 183
George J, 428
Ghahary A, 800
Gibson SJ, 734
Gilchrest BA, 353
Gilliam AC, 422
Ginsburg D, 917
Girolomoni G, 138
Gniadecka M, 393
Goerdt S, 84
Goerz G, 449
Goldberg S, 179
Goldsmith LA, 847
Goldsmith PC, 127
Gollnick H, 844
Gordon KB, 103
Grabbe S, 272
Graham RM, 452
Greenhalgh DA, 867
Griner RD, 318
Grinnell F, 67, 771
Gruis NA, 788
Gstöttner M, 263
Guy R, 410

Haake A, 847
Haase C, 282
Habener JF, 238
Hafner M, 122
Hagiwara S, 828
Hahn M, 982
Hainey SD, 158
Haldane F, 149
Hales JM, 725
Halliday GM, 824
Hammerberg C, 422
Hammerschmid F, 287
Hanada K, 24, 100, 259
Hanakawa Y, 76
Hanley K, 368, 399
Harrap M, 849
Harrison M, 110
Hashimoto I, 24, 100, 259
Hashimoto Koji 76
Hashimoto MW, 143, 806
Hashimoto T, 41, 103
Haus E, 20
Hawk JLM, 452
He SS, 368
He Y, 67
Heine M, 441
Heinsohn G, 98
Henz BM, 186
Hertl M, 282, 62, 388
Herz U, 224
Heubach T, 982
Heuck D, 844
Hibi T, 837
Hietarinta M, 416
Hille ETM, 788
Hinter H, 165
Hintner H, 170
Hintze U, 98
Hiraoka Y, 174
Hirvonen O, 232
Ho V, 72
Höckmayr B, 752
Hodgins MB, 158
Hodgins M, 958
Hoefnagel JJ, 880
Hohl D, 268
Holleran WM, 383
Holmes D, 110
Holubar K, 102
Houghton AJ, 324
Huber M, 268
Hunzelmann N, 122

Ibbotson SH, 79
Idy-Peretti I, 782
Ihn H, 47
Iizuka H, 218, 923
Ikeda S, 847
Ikenaga M, 143
Imamura S, 862
Imbertson LM, 734
Inoue N, 923
Inoue S, 116, 889
Ioffe A, 989
Ishida-Yamamoto A, 218, 923
Ishigaki Y, 806
Ishii K, 62
Ito Y, 376
Itoh M, 862
Iwamoto I, 41
Iwasaki-Beesho Y, 376

0022-202X/98/$10.50 • Copyright © 1998 by The Society for Investigative Dermatology, Inc.

Jablonska S, 311
Jang S-I, 34
Jappe U, 844
Jaspers NGJ, 832
Javed S, 958
Jensen PJ, 917
Jiang Y, 368
Jindo T, 338
Johnson RL, 885
Jones DO, 158
Jugert FK, 449
Jung E, 318
Jünger M, 982

Kähäri V-M, 416
Kalka K, 449
Kalmanson JD, 946
Kanellopoulos NK, 989
Karas Z, 843
Karr RW, 388
Käsbohrer U, 224
Kato K, 923
Katz SI, 62, 388
Kaufman R, 364
Kawachi Y, 837
Kawai K, 961
Kawakami T, 47
Kealey T, 410
Keller-Melchior R, 932
Keping X, 188
Kerrigan K, 946
Keryer G, 872
Kessel D, 746
Khavari PA, 8, 462
Khorlin A, 428
Kida K, 259
King LE, 986
King RA, 777
Kinouchi M, 218
Kippenberger S, 364
Kita Y, 41
Kitajima Y, 376
Kleijer WJ, 832
Klein P, 110
Knight HL, 894
Kobayashi N, 143, 806
Koch F, 441
Kochevar IE, 79
Kodelja V, 84
Koh BB, 170, 165
Kolb-Bachofen V, 1
Kömüves LG, 110
Korman NJ, 52
Köttgen E, 224
Krasagakis K, 263
Kreig T, 122, 153
Kremer IB, 422
Krieg T, 867
Kripke ML, 184
Kulke R, 90
Kume K, 889
Kumpf K, 57
Kuroda K, 41
Kuwae K, 923
Kwong AO, 110

Laato M, 232
Lackner AA, 894
Lakkakorpi J, 232
Lam C, 287
Lam H, 452
Lambert CR, 79
Lane EB, 951
Largman C, 110
Lavergne D, 752
Lavker RM, 13, 917
Lawrence HJ, 110
Le M, 358
Le T, 818
Lebwohl MG, 840
Leroy C, 47
Lesiak K, 428
Lessin SR, 767
Leverkus M, 353
Li G, 72
Li G, 767
Liapi C, 332
Lin L, 828
Lindner G, 457
Loitsch S, 364
Longley BJ, 186
Lotric-Furlan S, 211
Luger TA, 272
Lugo TG, 793
Lunny DP, 951
Luo Y, 746
Luu-The V, 84
Lynch MC, 79

Magin TM, 951
Magro C, 277
Mahnke K, 272
Maibach HI, 20
Maitra B, 52
Majewski S, 311
Mak TW, 961
Manabe A, 218
Mann-Blakeney R, 318
Maraspin V, 211
Marchell NL, 383
María De Moragas J, 303
Markova NG, 34
Marx SJ, 438
Matsuda H, 740
Matsushita K, 253
Matt D, 215
Mattila L, 416
Mauro T, 399
Maytin EV, 238
Mcelwee KJ, 986
Mcgrath JA, 132, 165, 174, 452
Mcmillan JR, 132
Mee JB, 301
Merk HF, 282, 449
Meves A, 966
Meyer LJ, 207
Miller RL, 734
Miller SJ, 13
Miller SD, 103
Mimori T, 41
Minagawa M, 961
Mitropoulos ACh, 989
Moore J, 96, 99
Moran MN, 79
Mori T, 143, 806
Morita K, 862
Moshell AN, 840
Mullenders LHF, 405
Müller-Röver S, 902
Muramatsu T, 143, 806
Naganuma A, 259
Nair Rajan P, 179
Nakagawa A, 143, 806
Nakamura A, 740
Nakano H, 24
Nakazawa H, 972
Nakazawa K, 972
Nau P, 399
Nelson C, 190
Nestle FO, 762
Nickoloff BJ, 459, 762
Nielsen OF, 393
Niland S, 153
Nirunsuksiri W, 854
Nischt R, 122
Nishikawa T, 76, 103, 174, 828
Nishimoto H, 740
Nishimura K, 253
Nozawa Y, 376

Oetting WS, 777
Ogawa H, 338, 847
Ogoshi M, 818
Oh H-S, 939
Ohashi PS, 961
Ohnishi T, 806
Ong C, 188
Orfanos CE, 84, 263
Orgill DP, 908
Orth G, 311
Ortner U, 441
Ota Y, 889
Otsuka F, 837

Pack S, 438
Packer L, 756
Padovan E, 203
Palomares JC, 185
Panteleyev AA, 902
Parker G, 158
Parks WC, 771
Paus R, 95, 457, 902
Pearson J, 917
Pelley RP, 811
Peltonen J, 232
Petersen MJ, 207
Peus D, 966
Picken MM, 211
Picken RN, 211
Piepkorn M, 932
Pittelkow MR, 966
Polakowska R, 847
Popescu N, 158
Poreba E, 843
Porter RM, 951
Pott M, 966
Puig L, 303
Pulkkinen L, 174, 828
Pura A, 311

Querfeld C, 153
Querleux BG, 782

Raams A, 832
Rader MD, 13
Rapp C, 98
Raynaud F, 332, 872
Redziniak G, 348
Rees JL, 149
Reichelt J, 951
Reiter MJ, 734
Ren W-Y, 428
Renz H, 224
Reske-Kunz AB, 57
Reuhl K, 247
Rich SS, 867
Richard SB, 782
Riemann H, 272
Risse B, 917
Rodríguez-Pichardo A, 185
Romani N, 441
Rook AH, 767, 946
Roop DR, 867
Rose J, 456
Rosenbach T, 902
Rosenbloom J, 840
Rosendaal FR, 788
Ross R, 57
Rossi A, 34
Rothman A, 885
Rottman JB, 894
Roublevskaia I, 847
Rougier N, 348
Röwert J, 90
Rozenfeld S, 110
Rückert R, 457
Ruven HJT, 405
Ruzicka T, 1
Ruzic-Sabljic E, 211
Ryan K, 247

Saarialho-Kere U, 416
Sackett-Lundeen L, 20
Sahuc F, 972
Saito Y, 41
Saitou M, 862
Sakai S, 116
Salhany KE, 767
Sands AT, 405
Santoro E, 96
Sasseville VG, 894
Sato S, 889
Sawamura D, 24, 100, 259
Sayo T, 116
Schalkwijk J, 358
Schallreuter KU, 96, 99
Schlüter C, 90
Schmidt R, 932
Schmitt D, 348
Schnoy N, 224
Schuler G, 441
Schwarz A, 272
Schwarz T, 272
Schwing J, 57
Scott MP, 885
Scott PG, 800
Seidman MM, 428
Sepp NT, 441
Shay JW, 818
Shen Q, 800
Shibata M, 923
Shigihara T, 847
Shimada A, 116, 889
Shimizu H, 174, 828
Shimizu T, 889
Shiosaka S, 923
Shirai T, 143, 806
Shirakata Yuji 76
Sideras-Haddad E, 399
Sijbers AM, 832
Skarulis M, 438
Smart RC, 939
Smith E, 47
Smith RMA, 734
Smolle J, 441
Snoek JW, 832
Sokolov VE, 902
Solano F, 364
Sollberg S, 153
Squillace K, 966
Stacey MC, 292
Stanley J, 62
Stebbing A, 849
Stefanopoulos KL, 989
Steinert PM, 34
Steinman RM, 461
Steins A, 982
Stelnicki EJ, 110
Stenn KS, 95
Steriotis TA, 989
Stevens SR, 103, 422
Sticherling M, 90
Stoitzner P, 441
Stössel H, 441
Streilein JW, 29
Strickland FM. 811
Strle F, 211
Sugiyama Y, 116, 889

Sumida T, 41
Sundaram H, 62
Sundberg JP, 986
Suzuki H, 961
Suzumori K, 174
Sylva-Steenland RMR, 978

Takahashi H, 218
Takahashi N, 332
Takamori K, 338
Takeuchi T, 343
Takigawa M, 253
Takizawa Y, 174, 828
Tamai K, 24, 100
Tang EH, 353
Taylor CA, 824
Taylor RS, 818
Taylor TB, 207
Terry S, 840
Teunissen MBM, 422, 978
Thiele JJ, 756
Tidman MJ, 132
Tillman D, 958
Tindall M, 149
Tokura Y, 253
Tomai MA, 734
Tomiyama K, 961
Tootell E, 422
Torres MJ, 185
Traber MG, 756
Tredget EE, 800
Trinchieri G, 272
Trojanowska M, 47
Tron V, 72
Tsuboi R, 338
Tsukita S, 862
Turner ML, 438
Turner R, 149

Uchida Y, 383
Uehira M, 740
Uitto J, 165, 174, 343, 828, 840
Ullrich SE, 811

Vähä-Kreula M, 232
Van Der Valk PGM, 358
Van Der Veen C, 902
Van Duijn E, 788
Van Ruissen F, 358
Van Scott EJ, 946
Van Voorst Vader PC, 832
Vandenbroucke JP, 788
Vanderlugt CJ, 103
Vasa RA, 966
Veazey R, 894
Vekony MA, 987
Vermeer BJ, 880
Vijayasaradhi S, 324
Vila L, 303
Vincent C, 348
Vonderheid EC, 946
Voorhees JJ, 297
Vortmeyer AO, 215, 438
Wagner TL, 734
Wahn U, 224
Wakem P, 847
Wakita H, 253
Wallace HJ, 292
Waller TA, 811
Wang N, 263
Warland G, 908
Watanabe KA, 428
Wei J, 247
Wei Q, 188
Weigl L, 224
Weinlich G, 441
Weltzien HU, 203
Westendorp RGJ, 880
Wildenberg SC, 777
Williams ML, 8, 368, 399
Witte W, 844
Wojnarowska F, 103
Wolf P, 184
Wolfe JT, 767
Woo SLC, 867
Wood JM, 96, 99
Woodburn KW, 746
Woodley DT, 103
Wrone-Smith T, 459
Wu WW, 179
Wulf HC, 393
Wysocka M, 272

Xie J, 885
Xie Z, 730
Xiong GL, 20
Xu W, 47
Xu Y, 324

Yaar M, 353
Yamamoto K, 41
Yamashina Y, 143, 806
Yamazaki S, 837
Yancey KB, 165, 170, 282, 302
Yannas IV, 908
Yee C, 165, 282, 302
Ylä-Outinen H, 232
Yoneda K, 862
Yoshida S, 923
Yoshida Y, 422
Yoshimura S, 376
Yosipovitch G, 20
Young PK, 67
Young SW, 746

Zanella M, 441
Zhang S-H, 854
Zhang X, 247
Zhang X, 885
Zhu H, 247
Zhu M, 771
Zhuang Z, 215, 438
Zimonjic D, 158
Zone JJ, 103, 207
Zouboulis CC, 84

A

α and η Isoforms of Protein Kinase C Stimulate Transcription of Human Involucrin Gene, Takahashi H, Asano K, Manabe A, Kinouchi M, Ishida-Yamamoto A, Iizuka H, 218
Abnormal Transglutaminase 1 Expression Pattern in a Subset of Patients with Erythrodermic Autosomal Recessive Ichthyosis, Choate KA, Williams ML, Khavari PA, 8
Abstracts
  Alpine Melanoma Meeting, 1998, 705
  International DermatoEpidemiology Association, Annual Meeting, 1998, 193
  International Investigative Dermatology, 1998, 468
Acanthosis, in mouse model of BCIE, 951
Acrodermatitis chronica atrophicans, 211
Activation of Tissue Inhibitor of Metalloproteinases-3 (TIMP-3) mRNA Expression in Scleroderma Skin Fibroblasts, Mattila L, Airola K, Ahonen M, Hietarinta M, Black C, Saarialho-Kere U, Kähäri V-M, 416
Adenovirus-mediated gene therapy, 867
Adrenalectomy, hair growth after, 456
Adrenocorticotropic Hormone (ACTH) But Not Alpha Melanocyte Stimulating Hormone (α-MSH) as a Mediator of Adrenalectomy Induced Hair Growth in Mink, *Letter*, Rose J, 456
Age differences, basal cell carcinoma, 880
Aging
  glucosylceramide actions and, 383
  mitochondrial DNA changes, 149
  see also Photoaging
Albinism, oculocutaneous, 777
Aliphatic and Alicyclic Diols Induce Melanogenesis in Cultured Cells and Guinea Pig Skin, Brown DA, Ren W-Y, Khorlin A, Lesiak K, Conklin D, Watanabe KA, Seidman MM, George J, 428
Allergy
  human-SCID mouse model, 224
  penicillin, 203
Aloe Barbadensis Extracts Reduce the Production of Interleukin-10 After Exposure to Ultraviolet Radiation, Byeon SW, Pelley RP, Ullrich SE, Waller TA, Bucana CD, Strickland FM, 811
Alopecia
  androgenetic, 849
  areata, 185, 986
α2-macroglobulin, 771
Alpine Melanoma Meeting, 1998, *Abstracts*, 705
Ancestral allele, COL17A1 mutation, 170
Angiofibroma, in multiple endocrine neoplasia type 1, 438
Angioneurotic edema, hereditary, type I, 837
Anticipation, genetic, in psoriasis, 958
Antigen-presenting cells, 762
  see also Dendritic cells; Langerhans cells
Antigen Receptor B Chain Variable Region Usage by $CD4^+$ and $CD8^+$ T Cells in Psoriasis, *Letter*, Camp RDR, Vekony MA, 987
Antioxidants
  inhibiting UVB-induced apoptosis, 24
  stratum corneum, 756
AP1 proteins, 34, 218
ApoE deficient C57BL/6 mice, 746
Apoptosis
  fibroblasts, 153
  in hairless mouse, 902
  keratinocytes, 24, 376, 457
  PAI-2 and, 917
Arachidonic acid metabolites, in psoriasis, 303
Atopic dermatitis, 224, 844
Autoantibodies, in bullous and gestational pemphigoid, 282
Autoimmune skin diseases, epitope spreading, 103
Autoreactive T cells
  in pemphigus vulgaris, 62, 388
  target antigens in stratum corneum, 725

B

Baculovirus-encoded form of bullous pemphigoid antigen 2, 282
Baer, Rudolf L, *Obituary*, 190
BALB/MK keratinocytes, 238
Baldness, male pattern, 849
Barrier function, skin
  circadian rhythms, 20
  ontogenesis in rodent, 399
Basal cell carcinoma (BCC)
  age, site and sex differences, 880
  basement membrane mRNA expression, 52
  PATCHED mutations, 885
Basal cell nevus syndrome, 885
Basement membrane
  in basal cell carcinoma, 52
  BPAG2 localization, 302
Benzoyl peroxide, 79
Benzoyl Peroxide Increases UVA-Induced Plasma Membrane Damage and Lipid Oxidation in Murine Leukemia L1210 Cells, 79
Blood flow, skin, in systemic scleroderma, 982
BM-40, in human skin, 122
BM-40 (Osteonectin, SPARC) Is Expressed Both in the Epidermal and in the Dermal Compartment of Adult Human Skin, Hunzelmann N, Hafner M, Anders S, Kreig T, Nischt R, 122
Borrelia afzelii, 211
Borrelia burgdorferi
  sensu lato, 211
  sensu stricto, 211
Borrelia garinii, 211
Bovine tongue epithelium, TLS expression, 277
Brown locus product, 324
Bullous congenital ichthyosiform erythroderma (BCIE), 951
Bullous pemphigoid, IgG autoantibodies, 282
Bullous pemphigoid antigen 2 (BPAG2, BP180)
  autoantibodies, in bullous and gestational pemphigoid, 282
  homology of LABD97 to, 207
  localization of extracellular domain, 302
Bullous pemphigoid antigens (BPAG), in basal cell carcinoma, 52
Burn wounds, 67, 771

C

C1 inhibitor gene mutation, 837
C57BL/6 J mice, 259
C57BL/6 mice, 746, 867
C/EBP, 238, 939
Calcipotriol, in psoriasis, 301
Calcium gradient, fetal epidermis *in utero*, 399
Cancer mortality, in FAMMM syndrome, 788
Capillary hemodynamics, in systemic scleroderma, 982
Caseinolytic activity, in wound fluid, 67
CCAAT-enhancer binding proteins (C/EBP), 238, 939
$CD4^+$ T cells
  in cutaneous T cell lymphoma, 946
  memory, UVB-induced recruitment, 978
$CD8^+$ T cells, transfer of UV-induced immunosuppression, 272
$CD34^+$ progenitor T cells, dendritic cells derived from, 348
CD98 (4F2), downregulation in Langerhans cells, 57
CDKN2 gene mutation, 788
Ceramide, 318, 376, 383
Characterization and Chromosomal Localization of Human Hair-Specific Keratin Genes and Comparative Expression During the Hair Growth Cycle, Bowden PE, Hainey SD, Parker G, Jones DO, Zimonjic D, Popescu N, Hodgins MB, 158
Characterization of the Cutaneous Exanthem in Macaques Infected with a Nef Gene Variant of SIVmac239, Sasseville VG, Rottman JB, Du Z, Veazey R, Knight HL, Caunt D, Desrosiers RC, Lackner AA, 894

0022-202X/98/$10.50 • Copyright © 1998 by The Society for Investigative Dermatology, Inc.

Chemokines, CXC, in psoriasis, 90
Cholera toxin, 259
CHOP (C/EBP-homologous protein), 238
Chromosomal Allele Loss in Primary Cutaneous Melanoma is Heterogeneous and Correlates with Proliferation, Böni R, Matt D, Voetmeyer A, Burg G, Zhuang Z, 215
Chromosome 1p, 215
Chromosome 1q32, 828
Chromosome 6p, 958
Chromosome 9q, 215
Chromosome 12q, 847
Chromosome 12q13, 158
Circadian rhythms, skin barrier function, 20
Clofibric acid, 368
Cockayne syndrome, 405
Collagen
  gels, contractile, apoptosis of fibroblasts, 153
  type I, in systemic sclerosis, 47
  type XVII (COL17A1) gene mutations, 165, 170
Collagen-glycosaminoglycan matrix, 908
Collagenase-1 Complexes with α2-Macroglobulin in the Acute and Chronic Wound Environments, Grinnell F, Zhu M, Parks WC, 771
Collagenoma, in multiple endocrine neoplasia type 1, 438
Collodion baby, transglutaminase assay, 268
Condyloma acuminata, HPV sequences in blood, 843
Confocal microscopy, laser scanning, 143
Congenital ichthyosiform erythroderma (CIE)
  bullous (BCIE), 951
  nonbullous, 8
Contact hypersensitivity
  in vitro system, 29
  Langerhans cell migration, 441
  UV-induced suppression, 811
Cutaneous Responses to Endothelin-1 and Histamine in Patients with Vibration White Finger, Dowd PM, Goldsmith PC, Chopra S, Bull HA, Foreman JC, 127
Cutaneous T cell lymphoma, 767, 946
Cutaneous Tumors in Patients with Multiple Endocrine Neoplasia Type 1 Show Allelic Deletion of the *MEN1* Gene, Pack S, Turner ML, Zhuang Z, Vortmeyer AO, Böni R, Skarulis M, Marx SJ, Darling TN, 438
CXC Receptor 2 Is Overexpressed in Psoriatic Epidermis, Kulke R, Bornscheuer E, Schlüter C, Bartels J, Röwert J, Sticherling M, Christophers E, 90
CXC receptors
  expression in psoriasis, 90
  type 3 (CXCR3), 894
Cyclic AMP (cAMP)
  -dependent protein kinase (PKA), 332, 872
  phosphodiesterase type 4 expression and, 287
Cyclic Nucleotide Phosphodiesterase 4 Subtypes Are Differentially Expressed by Primary Keratinocytes and Human Epidermoid Cell Lines, Chujor CSN, Hammerschmid F, Lam C, 287
Cyclobutane pyrimidine dimer (CPD), 143, 405, 806
Cycloheximide, 165
Cycloheximide Facilitates the Identification of Aberrant Transcripts Resulting from a Novel Splice-Site Mutation in COL17A1 in a Patient with Generalized Atrophic Benign Epidermolysis Bullosa, Darling TN, Yee C, Koh B, McGrath JA, Bauer JW, Uitto J, Hintner H, Yancey KB, 165
Cytokine Induction in Hairless Mouse and Rat Skin After Topical Application of the Immune Response Modifiers Imiquimod and S-28463, Imbertson LM, Beaurline JM, Couture AM, Gibson SJ, Smith RMA, Miller RL, Reiter MJ, Wagner TL, Tomai MA, 734
Cytokines
  genes, melanoma cell transduction, 867
  in isolated human sebaceous infundibulum, 410
Cytomegalovirus DNA, absence in alopecia areata, 185, 986
Cytoplasmic Tail of the Mouse *Brown* Locus Product Determines Intracellular Stability and Export from the Endoplasmic Reticulum, Xu Y, Vijayasaradhi S, Houghton AN, 324
Cytotoxic T cells, in SIV-infected macaques, 894

D

Darier disease, gene mapping, 847
db/db mice, wound healing, 253
Decreased mRNA Expression of Several Basement Membrane Components in Basal Cell Carcinoma, Chopra A, Maitra B, Korman NJ, 52
Decreased Phospholipase D (PLD) Activity in Ceramide-Induced Apoptosis of Human Keratinocyte Cell Line HaCaT, Iwasaki-Bessho Y, Banno Y, Yoshimura S, Ito Y, Kitajima Y, Nozawa Y, 376
Defective Global Genome Repair in XPC Mice is Associated with Skin Cancer Susceptibility but not with Sensitivity to UVB Induced Erythema and Edema, Berg RJW, Ruven HJT, Sands AT, de Gruijl FR, Mullenders LHF, 405
Delayed-type hypersensitivity (DTH)
  in cutaneous T cell lymphoma, 946
  UV-induced suppression, 811, 824
Deletion Mutation in COL17A1 in Five Austrian Families with Generalized Atrophic Benign Epidermolysis Bullosa Represents Propagation of an Ancestral Allele, Darling TN, Koh BB, Bale SJ, Compton JG, Bauer JW, Hintner H, Yancey KB, 170
Dendritic cells
  dermal (DDC), 762
  migration, 441
  presentation of haptens, 348
  see also Langerhans cells
Dendritic Cells in Fundamental and Clinical Immunology: Life in Venice, *Book Review*, 461
Dendritic epidermal T cells, Vγ3, 961
Depletion of Human Stratum Corneum Vitamin E: An Early and Sensitive *In Vivo* Marker of UV Induced Photo-Oxidation, Thiele JJ, Traber MG, Packer L, 756
Dermal dendritic cells (DDC), 762
Dermatitis
  atopic, 224, 844
  in IL-7 transgenic mice, 740
Dermis, BM-40 (osteonectin) expression, 122
Desmoglein 1, mucosal expression, 76
Desmoglein 3
  autoreactive T cells, 62, 388
  mucosal expression, 76
Detection of IgG Autoantibodies in the Sera of Patients with Bullous and Gestational Pemphigoid: ELISA Studies Utilizing a Baculovirus-Encoded Form of Bullous Pemphigoid Antigen 2, Haase C, Büdinger L, Borradori L, Yee C, Merk HF, Yancey K, Hertl M, 282
Detergents, 358
Development of Heritable Melanoma in Transgenic Mice, Zhu H, Reuhl K, Zhang X, Botha R, Ryan K, Wei J, Chen S, 247
Diabetic (*db/db*) mice, wound healing, 253
Diacylglycerol, 318
Diethylstilbestrol, 364
Differences in Age, Site Distribution, and Sex Between Nodular and Superficial Basal Cell Carcinomas Indicate Different Types of Tumors, Bastiaens MT, Hoefnagel JJ, Bruijn JA, Westendorp RGJ, Vermeer BJ, Bouwes Bavinck JN, 880
Differential display method, 57
Differential Effects of Detergents on Keratinocyte Gene Expression, van Ruissen F, Le M, Carroll JM, van der Valk GM, Schalkwijk J, 358
Differential Regulation of Vitamin D Responsive Elements in Normal and Transformed Keratinocytes, Xie Z, Bikle DD, 730
Differentiation, epidermal
  C/EBP expression, 238, 939
  PAI-2 expression, 917
  PPARα activators and, 368
  role of ceramide, 318
  role of platelet-activating factor, 889
5α-Dihydrotestosterone (DHT), 84
1,25-Dihydroxyvitamin D, phospholipase C-γ1 regulation, 730
Dinitrochlorobenzene (DNCB), 29, 946
Diols, aliphatic and alicyclic, 428
DNA damage, UV-induced, 143, 405, 806
DNA repair
  melanoma cells, 187
  nucleotide excision, defective, 832
  sites, visualization, 143
  in *XPC* knockout mice, 405
DNA Repair Capacity of Melanoma Cells, *Letter*, Ong C, 187
Dynamic Changes in Intracellular Location of Metallothionein in Rat Keratinocytes After Ultraviolet-B Irradiation, *Letter*, Hanada K, Tamai K, Sawamura D, Hashimoto I, 98

E

Effect of AP1 Transcription Factors on the Regulation of Transcription in Normal Human Epidermal Keratinocytes, Rossi A, Jang S-I, Ceci R, Steinert PM, Markova NG, 34

Effects of [D-Ala^1] Peptide T-NH_2 and HIV Envelope Glycoprotein Gp120 on Cyclic AMP Dependent Protein Kinases in Normal and Psoriatic Human Fibroblasts, Liapi C, Takahashi N, Raynaud F, Evain-Brion D, Anderson WB, 332

Effects of Inflammatory Cytokines on the Isolated Human Sebaceous Infundibulum, Guy R, Kealey T, 410

Elastosis, novel mouse model, 343

ELISA studies, bullous pemphigoid antigen 2, 282

Endoplasmic reticulum, TRP-1/gp75 export, 324

Endosomal/lysosomal pathway, TRP-1/gp75 transport, 324

Endothelin-1, in vibration white finger, 127

Entry Into Afferent Lymphatics and Maturation *In Situ* of Migrating Murine Cutaneous Dendritic Cells, Weinlich G, Heine M, Stössel H, Zanella M, Stoitzner P, Ortner U, Smolle J, Koch F, Sepp NT, Shuler G, Romani N, 441

Epidermal growth factor receptor (EGFR), 966

Epidermal Proliferation of the Skin in Metallothionein-Null Mice, Hanada K, Sawamura D, Hashimoto I, Kida K, Naganuma A, 259

Epidermis
- aged murine, glucosylceramide actions, 383
- barrier function *see* Barrier function, skin
- BM-40 (osteonectin) expression, 122
- C/EBP expression, 939
- differentiation *see* Differentiation, epidermal
- melanin supranuclear caps, 806
- neuropsin expression, 923
- phosphodiesterase type 4 subtypes, 287
- thickening, in BCIE, 951
- tight junction-associated proteins, 862
- TLS expression, 277

Epidermodysplasia verruciformis, 311, 752

Epidermoid cell lines, phosphodiesterase type 4 subtypes, 287

Epidermolysis bullosa
- generalized atrophic benign (GABEB), 165, 170
- Herlitz junctional (H-JEB), 174, 828
- junctional, hemidesmosome abnormalities, 132

Epitope spreading, 103

Epitope Spreading: Lessons From Autoimmune Skin Disease, Chan LS, Vanderlugt CJ, Hashimoto T, Nishikawa T, Zone JJ, Black MM, Wojnarowska F, Stevens SR, Chen M, Fairley JA, Woodley DT, Miller SD, Gordon KB, 103

Erythroderma, congenital ichthyosiform *see* Congenital ichthyosiform erythroderma

Estradiol, tyrosinase, TRP-1 and TRP-2 expression and, 364

Estrogen receptors, regulation of hair growth, 95

Evaluation of the Capacity of Dendritic Cells Derived from Cord Blood $CD34^+$ Precursors to Present Haptens to Unsensitized Autologous T Cells *In Vitro*, Rougier N, Redziniak G, Schmitt D, Vincent C, 348

Evidence of Heterogeneity and Quantitative Differences of the Type 1 5α-Reductase Expression in Cultured Human Skin Cells – Evidence of its Presence in Melanocytes, Chen W, Zouboulis CC, Fritsch M, Blume-Peytavi U, Kodelja V, Goerdt S, Luu-The V, Orfanos CE, 84

Ex Vivo and *In Vivo* Adenovirus-Mediated Gene Therapy Strategies Induce a Systemic Anti-Tumor Immune Defence in the B16 Melanoma Model, Bonnekoh B, Greenhalgh DA, Chen S-H, Block A, Rich SS, Krieg T, Woo SLC, Roop DR, 867

Excess Cancer Mortality in Six Dutch Pedigrees with the Familial Atypical Multiple Mole-Melanoma Syndrome from 1830 to 1994, Hille ETM, van Duijn E, Gruis NA, Rosendaal FR, Bergman W, Vandenbroucke JP, 788

Expression of CCAAT/Enhancer Binding Proteins (C/EBP) is Associated with Squamous Differentiation in Epidermis and Isolated Primary Keratinocytes and is Altered in Skin Neoplasms, Oh H-S, Smart RC, 939

Expression of Neuropsin in the Keratinizing Epithelial Tissue – Immunohistochemical Analysis of Wild-Type and Nude Mice, Inoue N, Kuwae K, Ishida-Yamamoto A, Iizuka H, Shibata M, Yoshida S, Kato K, Shiosaka S, 923

Expression of the Tumor Suppressor Gene Product $p16^{INK4}$ in Benign and Malignant Melanocytic Lesions, Keller-Melchior R, Schmidt R, Piepkorn M, 932

F

4F2 (CD98), in Langerhans cells, 57

Failure of Topical Estrogen Receptor Agonists and Antagonists to Alter Murine Hair Follicle Cycling, *Letter*, Stenn KS, Paus R, Filippi M, 95

Familial atypical multiple mole-melanoma (FAMMM) syndrome, 788

Fatty acids, PPARα activators, 368

Fetal skin, *HOX* gene expression, 110

Fibroblast growth factor, basic, 793

Fibroblasts
- apoptosis, 153
- hyaluronan synthase expression, 116
- neurofibromin expression, 232
- psoriatic
  - MAP kinase abnormalities, 872
  - peptide T and gp120 actions, 332
- scleroderma, 47, 416
- TGF-β1 gene transfection, 800

Fluorescein isothiocyanate, 348

Fluorescence *in situ* hybridization (FISH), 438

Formation of the Epidermal Calcium Gradient Coincides with Key Milestones of Barrier Ontogenesis in the Rodent, Elias PM, Nau P, Hanley K, Cullander C, Crumrine D, Bench G, Sideras-Haddad E, Mauro T, Williams ML, Feingold KR, 399

fos transcription factors, 34

Founder effect, 170

G

γδ T cells
- in IL-2 receptor β chain-deficient mice, 961
- in IL-7 transgenic mice, 740

Ganciclovir, 867

Gaucher disease, 383

Gene therapy, in B16 melanoma model, 867

Gene Therapy for Genetic Skin Disease, *Dermatology Foundation Report*, Khavari, PA, 462

Genetic Analysis of Male Pattern Baldness and the 5α-Reductase Genes, Ellis JA, Stebbing M, Harrap SB, 849

Genetically Modified Dermal Keratinocytes Express High Levels of Transforming Growth Factor-β1, Ghahary A, Tredget EE, Chang L-J, Scott PG, shen Q, 800

Genetics of Psoriasis: Paternal Inheritance and a Locus on Chromosome 6p, Burden AD, Javed S, Bailey M, Hodgins M, Connor M, Tillman D, 958

Gestational pemphigoid, IgG autoantibodies, 282

Glucocorticoids, tyrosinase, TRP-1 and TRP-2 expression and, 364

Glucosylceramides Stimulate Mitogenesis in Aged Murine Epidermis, Marchell NL, Uchida Y, Brown BE, Elias PM, Holleran WM, 383

Gorlin syndrome (basal cell nevus syndrome), 885

Gp75 *see* Tyrosinase related protein 1

Gp120, HIV, in psoriatic fibroblasts, 332

Granulocyte-macrophage colony stimulating factor (GM-CSF) gene, melanoma cell transduction, 867

GRO/melanoma growth-stimulatory activity (GRO-α), in psoriasis, 90

Guinea pig, melanogenesis, 428

H

H_2O_2 is an Important Mediator of UVB-Induced EGF-Receptor Phosphorylation in Cultured Keratinocytes, Peus D, Vasa RA, Meves A, Pott M, Beyerle A, Squillace K, Pittelkow MR, 966

HaCaT keratinocyte cell line, 376

Hair
- growth after adrenalectomy, 456
- Raman spectroscopy, 393

Hair follicles
- estrogen receptor regulation, 95
- in hairless mice, 902
- hepatocyte growth factor/scatter factor (HGF/SF) effects, 338
- keratin gene expression, 158
- Langerhans cells, 422
- PAI-2 expression, 917
- tight junction-associated proteins, 862

hairless (hr) gene, 902

Hairless mouse
imiquimod and S-28463 actions, 734
pathogenesis of phenotype, 902
stratum corneum vitamin E, 756
Haptens, 203, 348
Heat, effects on melanocytes, 972
Hedgehog proteins, 885
Hemidesmosomes
in bullous pemphigoid, 282
in junctional epidermolysis bullosa, 132
Hemidesmosomes Show Abnormal Association with the Keratin Filament Network in Junctional Forms of Epidermolysis Bullosa, McMillan JR, McGrath JA, Tidman MJ, Eady RAJ, 132
Hemodynamics in Nailfold Capillaries of Patients with Systemic Scleroderma: Synchronous Measurements of Capillary Blood Pressure and Red Blood Cell Velocity, Hahn M, Heubach T, Steins A, Jünger M, 982
Hepatocyte growth factor (HGF), 338
Hepoxilins, in psoriasis, 303
Hermansky–Pudlak syndrome, novel gene transcript, 777
Herpes simplex virus-thymidine kinase (HSV-tk) suicide gene, 867
Heterogeneous MHC II Restriction Pattern of Autoreactive Desmoglein 3 Specific T Cell Responses in Pemphigus Vulgaris Patients and Normals, Hertl M, Karr RW, Amagai M, Katz SI, 388
Histamine, in vibration white finger, 127
HLA-DM, expression by keratinocytes, 138
HLA-DR, expression by keratinocytes, 138
Homozygous R788W Point Mutation in the *XPF* Gene of a Patient with Xeroderma Pigmentosum and Late-Onset Neurologic Disease, Sijbers AM, van Voorst Vader PC, Snoek JW, Raams A, Jaspers NGJ, Kleijer WJ, 832
Homozygous Variegate Porphyria: Identification of Mutations on Both Alleles of the Protoporphyrinogen Oxidase Gene in a Severely Affected Proband, Frank J, McGrath J, Lam H, Graham RM, Hawk JLM, Christiano AM, 452
House dust mite allergen, 224
HOX genes, in human fetal skin development, 110
HOX Homeobox Genes Exhibit Spatial and Temporal Changes in Expression During Human Skin Development, Stelnicki EJ, Kömüves LG, Kwong AO, Holmes D, Klein P, Rozenfeld S, Lawrence HJ, Adzick NS, Harrison M, Largman C, 110
HPV Sequences in Blood of Patients with Condyloma Acuminata, *Letter*, Karas Z, Poreba E, 843
Human Dermal Dendritic Cells Process and Present Soluble Protein Antigens, Nestle FO, Filgueira L, Nickoloff BJ, Burg G, 762
Human Hair Follicle: A Reservoir of CD40$^+$ B7-Deficient Langerhans Cells that Repopulate Epidermis After UVB Exposure, Gilliam AC, Kremer IB, Yoshida Y, Stevens SR, Tootell E, Teunissen MBM, Hammerberg C, Cooper KD, 422
Human immunodeficiency virus (HIV), gp120, in psoriatic fibroblasts, 324
Human papillomaviruses
in blood of condyloma acuminata patients, 843
type 5, in psoriasis, 311
Human Papillomaviruses are Commonly Found in Normal Skin of Immunocompetent Hosts, Astori G, Lavergne D, Benton C, Höckmayr B, Egawa K, Garbe C, de Villiers E-M, 752
Human-SCID Mouse Model for Allergic Immune Responses: Bacterial Superantigen Enhances Skin Inflammation and Suppresses IgE Production, Herz U, Schnoy N, Borelli S, Weigl L, Käsbohrer U, Daser A, Wahn U, Köttgen E, Renz H, 224
Human skin
barrier function, circadian rhythms, 20
BM-40 expression, 122
BPAG2 localization, 302
fetal development, *HOX* genes, 110
human papillomaviruses, 752
hyaluronan synthase expression, 116
melanin supranuclear caps, 806
MHC class II expression, 138
mitochondrial DNA deletions, 149
neurofibromin in wound healing, 232
nitric oxide, 1
Raman spectroscopy, 393
5α-reductase type 1 expression, 84
retinoic acid receptor-γ ligands, 297
telomerase RNA expression, 818
TLS expression, 277
UVB-exposed
Langerhans cell reservoir, 422
memory CD4$^+$ T cells, 978
Hyaluronan synthase genes (Has1, Has2), 116
Hydrogen peroxide (H_2O_2), 966
24-Hydroxylase gene, 730
Hyperkeratosis, in mouse model of BCIE, 951

I

Ichthyosiform erythroderma, congenital *see* Congenital ichthyosiform erythroderma
Ichthyosis
autosomal recessive congenital, 268
erythrodermic autosomal recessive, 8
lamellar, 179, 268
vulgaris, profilaggrin mRNA instability, 854
Identification of Mutations in the Human *PATCHED* Gene in Sporadic Basal Cell Carcinomas and in Patients with the Basal Cell Nevus Syndrome, Aszterbaum M, Rothman A, Johnson RL, Fisher M, Xie J, Bonifas JM, Zhang X, Scott MP, Epstein EH, 885
Identification of a Novel Transcript Produced by the Gene Responsible for the Hermansky–Pudlak Syndrome in Puerto Rico, Wildenberg SC, Fryer JP, Gardner JM, Oetting WS, Brilliant MH, King RA, 777
Identification of Proteinase 3 as the Major Caseinolytic Activity in Acute Human Wound Fluid, He Y, Young PK, Grinnell F, 67
Identification of Three Species of *Borrelia burgdorferi Sensu Lato (B. burgdorferi Sensu Stricto, B. garinii*, and *B. afzelii*) Among Isolates from Acrodermatitis Chronica Atrophicans Lesions, Picken RN, Strle F, Picken MM, Ruzic-Sabljic E, Maraspin V, Lotric-Furlan S, Cimperman J, 211
IgA bullous dermatosis, linear (LABD), 207
IgE, in IL-7 transgenic mice, 740
Imiquimod, cytokine induction, 734
Immune response modifiers, topical application, 734
Immunologic Abnormalities Exhibited in IL-7 Transgenic Mice with Dermatitis, Uehira M, Matsuda H, Nakamura A, Nishimoto H, 740
Immunologic Protection Afforded by Sunscreens Beyond Designated Sun Protection Factors, *Letter*, Wolf P, Kripke ML, 184
Immunosuppression, UV-induced
Aloe barbadensis extracts and, 811
IL-12 therapy, 272
Mantoux reactions, 824
T cell dynamics, 978
In Situ Expression of Platelet-Activating Factor (PAF)-Receptor Gene in Rat Skin and Effects of PAF on Proliferation and Differentiation of Cultured Human Keratinocytes, Shimada A, Ota Y, Sugiyama Y, Sato S, Kume K, Shimizu T, Inoue S, 889
In Situ Hybridization Analysis of the Expression of Human Telomerase RNA in Normal and Pathologic Conditions of the Skin, Ogoshi M, Le T, Shay JW, Taylor RS, 818
In Vitro and Rapid *In Situ* Transglutaminase Assays for Congenital Ichthyoses - A Comparative Study, Hohl D, Aeschlimann D, Huber M, 268
Increased Expression of TGF-β Receptors by Scleroderma Fibroblasts: Evidence for Contribution of Autocrine TGF-β Signaling to Scleroderma Phenotype, Kawakami T, Ihn H, Xu W, Smith E, LeRoy C, Trojanowska M, 47
Induction of Squamous Cell Carcinoma in p53-Deficient Mice after Ultraviolet Irradiation, Li G, Tron V, Ho V, 72
Infundibulum, isolated human sebaceous, 410
Inhibition of Chemotherapy-Induced Keratinocyte Apoptosis *In Vivo* by an Interleukin-15-IgG Fusion Protein, *Letter*, Lindner G, Rückert R, Bulfone-Paus S, Paus R, 457
Inhibitory Effect of β-Thujaplicin on Ultraviolet B-Induced Apoptosis in Mouse Keratinocytes, Baba T, Nakano H, Tamai K, Sawamura D, Hanada K, Hashimoto I, Arima Y, 24
Integrins, $\alpha_6\beta_4$, in basal cell carcinoma, 52
Interferon-α, topical imiquimod and S-28463 and, 734
Interferon-γ
in isolated human sebaceous infundibulum, 410
keratinocyte activation, 138
Interferon-γ-Stimulated Human Keratinocytes Express the Genes Necessary for the Production of Peptide-Loaded MHC Class II Molecules, Albanesi C, Cavani A, Girolomoni G, 138
Interleukin-1α, in isolated human sebaceous infundibulum, 410
Interleukin-2 (IL-2)
gene, melanoma cell transduction, 867
receptor β chain-deficient mice, 961

Interleukin-7, transgenic mice, 740
Interleukin-8 (IL-8), in psoriasis, 90
Interleukin-10, in UV irradiated skin, 811
Interleukin 12 Breaks Ultraviolet Light Induced Immunosuppression by Affecting $CD8^+$ Rather than $CD4^+$ T Cells, Schwarz A, Grabbe S, Mahnke K, Riemann H, Luger TA, Wysocka M, Trinchieri G, Schwarz T, 272
Interleukin-15, 961
Interleukin-15-IgG fusion protein, 457
International Centennial Meeting on Pseudoxanthoma Elasticum: Progress in PXE Research, *Meeting Report*, Uitto J, Boyd CD, Lebwohl MG, Moshell AN, Rosenbloom J, Terry S, 840
International DermatoEpidemiology Association, Annual Meeting Feb 26, 1998, *Abstracts*, 193
International Investigative Dermatology, 1998, *Abstracts*, 468
Invariant chain, in keratinocytes, 138
Investigation of Water Sorption on Porcine Stratum Corneum by Very Small Angle Neutron Scattering, *Letter*, Charalambopoulou GCh, Steriotis TA, Mitropoulos ACh, Stefanopoulous KL, Kanellopoulos NK, 989
Involucrin gene, regulation of expression, 34, 218
Irritancy, skin, detergent-mediated, 358

J

jun transcription factors, 34

K

Keratin
  5, regulation of transcription, 34
  10, targeted mutation, 951
  17, in hairless mouse, 902
  filaments, hemidesmosome interactions, 132
  genes, hair-specific, 158
Keratinization, role of neuropsin, 923
Keratinocyte Differentiation is Stimulated by Activators of the Nuclear Homone Receptor PPARα, Hanley K, Jiang Y, He SS, Friedman M, Elias PM, Bikle DD, Williams ML, Feingold KR, 368
Keratinocytes
  apoptosis, 24, 457
  C/EBP expression, 238, 939
  ceramide actions, 318, 376
  in collagen-glycosaminoglycan matrix, 908
  CXCR2 expression, in psoriasis, 90
  detergent actions, 358
  EGFR phosphorylation, 966
  of human sebaceous infundibulum, 410
  hyaluronan synthase expression, 116
  ichthyosis vulgaris, 854
  metallothionein function, 259
  metallothionein localization, 98
  MHC class II expression, 138
  phosphodiesterase type 4 subtypes, 287
  platelet-activating factor, 889
  PPARα activators, 368
  regulation of transcription, 34, 218
  sphingosylphosphorylcholine actions, 253
  SV40-transformed, 218
  sweat apparatus, in wound healing, 13
  TGF-β1 gene transfection, 800
  TLS expression, 277
  transglutaminase assay in congenital ichthyoses, 268
  UV-induced TNF-α expression, 353
  UV-irradiated, *Aloe* extract treatment, 811
  vitamin D responsive elements, 730
c-kit, in mastocytosis, 186

L

L1210 murine leukemia cells, 79
Lack of Mucosal Involvement in Pemphigus Foliaceus May be Due to Low Expression of Desmoglein 1, Shirakata Y, Amagai M, Hanakawa Y, Nishikawa T, Hashimoto K, 76
LAMB3 gene, novel mutations, 174, 828
Laminin 5
  β_3 chain, in basal cell carcinoma, 52
  novel mutations, 174, 828
Langerhans cells
  in human hair follicle, 422
  maturation *in vitro*, 57
  migration, 441
  presentation of haptens, 348
  vs dermal dendritic cells, 762
  see also Dendritic cells
Leg ulcers, chronic venous, 292
Levels of Tumor Necrosis Factor-α (TNF-α) and Soluble TNF Receptors in Chronic Venous Leg Ulcers – Correlations to Healing Status, Wallace HJ, Stacey MC, 292
Linear IgA bullous dermatosis 97kDa antigen (LABD97), 207
Linkage analysis
  lamellar ichthyosis, 179
  psoriasis, 958
Lipid oxidation, UVA and benzoyl peroxide-mediated, 79
Lipids, structure in human skin, hair and nail, 393
Lipomas, in multiple endocrine neoplasia type 1, 438
Local Injection of Hepatocyte Growth Factor/Scatter Factor (HGF/SF) Alters Cyclic Growth of Murine Hair Follicles, Jindo T, Tsuboi R, Takamori K, Ogawa H, 338
Localization and Characterization of the RNA Binding Protein TLS in Skin and Stratified Mucosa, Champliaud M-F, Champliaud D, Albalat R, Burgeson R, Magro C, Baden HP, 277
Localization of the Extracellular Domain of BPAG2 in Human Epidermal Basement Membrane, *Letter*, Yancey KB, Yee C, 302
Localization of Plasminogen Activator Inhibitor Type 2 (PAI-2) in Hair and Nail: Implications for Terminal Differentiation, Lavker RM, Risse B, Brown H, Ginsburg D, Pearson J, Baker MS, Jensen PJ, 917
Loricrin, regulation of transcription, 34
Loss of heterozygosity, in melanoma, 215
Lupus erythematosus, systemic (SLE), T cell receptors, 41
Lutetium texaphyrin, 746
Lyme borreliosis, 211
Lymphatics, cutaneous dendritic cell migration, 441
Lymphedema, magnetic resonance imaging studies, 782
Lymphedematous Skin and Subcutis: *In Vivo* High Resolution Magnetic Resonance Imaging Evaluation, Idy-Peretti I, Bittoun J, Alliot FA, Richard SB, Querleux BG, Cluzan RV, 782
Lymphocytes
  cutaneous, in IL-7 transgenic mice, 740
  see also T cells
Lymphoma, cutaneous T cell, 767, 946

M

Macaque monkeys, SIVmac239 infection, 894
α2-Macroglobulin, 771
Magnetic resonance imaging, lymphedematous tissues, 782
Major histocompatibility complex *see* MHC
Male pattern baldness, 849
Mantoux reactions, UV-induced suppression, 824
MAP Kinase Abnormalities in Hyperproliferative Cultured Fibroblasts from Psoriatic Skin, Dimon-Gadal S, Raynaud F, Evain-Brion E, Keryer G, 872
Mastocytosis, SCF and c-kit, 186
Maternal Uniparental Meroisodisomy in the LAMB3 Region of Chromosome 1 Results in Lethal Junctional Epidermolysis Bullosa, Takizawa Y, Pulkkinen L, Lin L, Shimizu H, Hagiwara S, Nishikawa T, Uitto J, 828
Matrix metalloproteinases
  in scleroderma fibroblasts, 416
  type 1 (MMP-1, collagenase-1), in wounds, 771
Maturation of Epidermal Langerhans Cells *In Vitro* Is Accompanied by Downregulation of 4F2 (CD98) as Determined by Differential Display, Ross R, Endlich A, Kumpf K, Schwing J, Reske-Kunz AB, 57
Mechlorethamine hydrochloride, 946
Melanin
  diols inducing synthesis, 428
  supranuclear cap formation, 806
α-Melanocyte stimulating hormone (α-MSH), 456
Melanocytes
  bFGF transgene-expressing, 793
  diols inducing melanogenesis, 428

effects of heat *vs* UVB, 972
5α-reductase type 1 expression, 84
tyrosinase, TRP-1 and TRP-2 mRNA levels, 364
Melanocytic nevi, $p16^{INK4}$ expression, 932
Melanogenesis, diols inducing, 428
Melanoma
B16 murine, gene therapy, 867
B16F10 murine, photodynamic therapy, 746
bFGF and, 793
chromosome allele loss, 215
circulating tyrosinase-mRNA-positive cells, 263
FAMMM syndrome, 788
heritable, in transgenic mice, 247
HPV infection and, 752
$p16^{INK4}$ expression, 932
Melanoma cells
diols inducing melanogenesis, 428
DNA repair capacity, 187
Melanosomes
membrane proteins, 324
photosensitizer binding, 746
MEN1 gene, allelic deletion, 438
Meroisodisomy, maternal parental, in LAMB3, 828
Metallothionein
intracellular localization, 98
-null mice, 259
β-thujaplicin actions, 24
MHC class II
molecules, expression by keratinocytes, 138
restriction, desmoglein 3-specific T cells, 388
Mink, adrenalectomy, 456
Mitochondrial DNA deletions, 149
Mitochondrial DNA Deletions in Human Skin Reflect Photo- Rather Than Chronologic Aging, Birch-Machin MA, Tindall M, Turner R, Haldane F, Rees JL, 149
Mitogen-activated protein (MAP) kinases, in psoriasis, 872
Molecular Features of Penicillin Allergy, Weltzien HU, Padovan E, 203
Mononuclear cells, peripheral blood (PBMC)
atopic dermatitis patients, 224
desmoglein 3 reactive, 62
T cell priming, 29
Mouse
aged, glucosylceramide actions, 383
alopecia areata, 986
bullous congenital ichthyosiform erythroderma model, 951
C/EBP expression, 939
dendritic cell migration, 441
diabetic (*db/db*), 253
hair follicle cycling, 95, 338
hairless *see* Hairless mouse
hepatocyte growth factor/scatter factor (HGF/SF) effects, 338
hyaluronan synthase mRNA expression, 116
IL-2 receptor β chain-deficient, 961
keratinocytes, role of ceramide, 318
melanoma
gene therapy, 867
photodynamic therapy, 746
metallothionein-null, 259
neuropsin expression, 923
novel model of UVA-induced photoaging, 343
nude, 923
ontogenesis of epidermal barrier function, 399
p53 deficient, skin cancer, 72
PAI-2 expression, 917
SCID, atopic dermatitis model, 224
tight junction-associated proteins, 862
transgenic *see* Transgenic mice
UVB-induced keratinocyte apoptosis, 24
XPC knockout, 405
MTS1 gene, 932
Mucosa, bovine, TLS expression, 277
Mucous membrane, desmoglein 1 expression, 76
Multiple endocrine neoplasia type 1, skin tumors, 438
Murine Cytomegalovirus is Not Associated with Alopecia Areata in C3H/HeJ Mice, *Letter*, McElwee KJ, Bogess D, Burgett B, Bates R, Bedigan HG, Sundberg JP, King LE, 986
Murine leukemia L1210 cells, 79
Mutations
C1 inhibitor gene, 837
CDKN2 gene, 788
collagen type XVII (COL17A1), 165, 170
LAMB3 gene, 174, 828
PATCHED, 885
protoporphyrinogen oxidase, 449, 452
splice-site, cycloheximide studies, 165
transglutaminase 1, 179
XPF gene, 832
Mycosis fungoides, 767, 946

N

Nail
PAI-2 expression, 917
Raman spectroscopy, 393
Nailfold capillary hemodynamics, in systemic scleroderma, 982
Naïve, Hapten-Specific Human T Lymphocytes Are Primed *In Vitro* with Derivatized Blood Mononuclear Cells, Dai R, Streilein JW, 29
Narrowing of the Darier Disease Gene Interval on Chromosome 12q, *Letter*, Ikeda S, Shigihara T, Ogawa H, Haake A, Polakowska R, Rouldevskaia I, Waken P, Goldsmith LA, Epstein E, 847
Nef gene variant of SIVmac239, 894
Neural cell adhesion molecule (NCAM), 902
Neurofibromin, in human wound healing, 232
Neurologic disease, in xeroderma pigmentosum, 832
Neuropsin, 923
Neutron scattering, very small angle, 989
97kDa Linear IgA Bullous Disease Antigen is Identical to a Portion of the Extracellular Domain of the 180 kDa Bullous Pemphigoid Antigen, BPAg2, Zone JJ, Taylor TB, Meyer LJ, Petersen MJ, 207
Nitric oxide, in human skin, 1
Nitric Oxide in Human Skin: Current Status and Future Prospects, Bruch-Gerharz D, Ruzicka T, Kolb-Bachofen V, 1
No Evidence of Cytomegalovirus DNA in Alopecia Areata, *Letter*, Garcia-Hernández MJ, Torres MJ, Palomares JC, Rodriguez-Pichardo A, Aznar J, Camacho F, 185
Normal Human Melanocytes That Express a bFGF Transgene Still Require Exogenous bFGF for Growth *In Vitro*, Coleman AB, Lugo TG, 793
Normal Human Primary Fibroblasts Undergo Apoptosis in Three-Dimensional Contractile Collagen Gels, Fluck J, Querfeld C, Cremer A, Niland S, Krieg T, Sollberg S, 153
Novel Donor Splice Site Mutation in the C1 Inhibitor Gene of a Patient With Type I Hereditary Angioneurotic Edema, Kawachi Y, Hibi T, Yamazaki S, Otsuka F, 837
Novel *In Vivo* Model for Evaluating Agents that Protect Against Ultraviolet A-induced Photoaging, Takeuchi T, Uitto J, Bernstein EF, 343
Novel Mutations in the LAMB3 Gene Shared by Two Japanese Unrelated Families with Herlitz Junctional Epidermolysis Bullosa, and Their Application for Prenatal Testing, Takizawa Y, Shimizu H, Pulkkinen L, Hiraoka Y, McGrath JA, Suzumori K, Aiso S, Uitto J, Nishikawa T, 174
Nude mouse, neuropsin expression, 923

O

Occludin, in rodent skin, 862
Occurrence of Hepoxilins and Trioxilins in Psoriatic Lesions, Antón R, Puig L, Esgleyes T, de Moragas, JM, Vila L, 303
Oculocutaneous albinism, 777
Organized Skin Structure is Regenerated *In Vivo* from Collagen-GAG Matrices Seeded with Autologous Keratinocytes, Compton CC, Butler CE, Yannas IV, Warland G, Orgill DP, 908
Osteonectin, in human skin, 122
Overexpression of p53 Protein in Cutaneous T Cell Lymphoma: Relationship to Large Cell Transformation and Disease Progression, Li G, Chooback L, Wolfe JT, Rook AH, Felix CA, Lessin SR, Salhany KE, 767
Oxidative damage, UVA and benzoyl peroxide-induced, 79
Oxybenzone, photo-stability, 95, 97

P

$p16^{INK4}$, in melanocytic lesions, 932
p21 protein, in heat- and UVB-treated melanocytes, 972

p53 protein
in cutaneous T cell lymphoma, 767
deficient mice, skin cancer, 72
in heat- and UVB-treated melanocytes, 972
PATCHED (*PTC*) gene mutations, 885
Paternal inheritance, psoriasis, 958
Pemphigus
foliaceus (PF), lack of mucosal involvement, 76
vulgaris (PV)
autoreactive T cells, 62, 388
mucosal involvement, 76
Penicillin allergy, 203
Peptide T, in psoriatic fibroblasts, 332
Peroxisome proliferator activated receptor α (PPARα), 368
pH, skin surface, time-dependent variations, 20
Phosphatidic acid, 318
Phosphodiesterase (PDE) type 4 subtypes, in epidermal cells, 287
Phospholipase C-γ1, 730
Phospholipase D (PLD)
in apoptotic keratinocytes, 376
in keratinocyte proliferation and differentiation, 318
Photo-Stability of Oxybenzone, *Letter,* Santoro E, 95
Photoaging
mitochondrial DNA changes, 149
novel mouse model, 343
Photobiology 101, Gasparro FP, 183
Photodynamic Therapy of B16F10 Murine Melanoma with Lutetium Texaphyrin, Woodburn KW, Fan Q, Kessel D, Luo Y, Young SW, 746
Photoproducts, [6–4], 143, 405, 806
Photosensitivity
in variegate porphyria, 449, 452
in xeroderma pigmentosum, 832
Pig *see* Porcine skin
Pigmentation, effects of steroid hormones, 364
Plasminogen activator inhibitor type 2 (PAI-2), 917
Plasminogen activators, 253
Platelet-activating factor (PAF), 889
Platelet-derived growth factor (PDGF), neurofibromin expression and, 232
Polymorphism
COL17A1 gene mutations, 170
vitamin D receptor, 301
Porcine skin
re-epithelialization by sweat apparatus, 13
water sorption by stratum corneum, 989
wound healing, 908
Porphyria, variegate, 449, 452
Post-Transcriptional Regulation of UV Induced TNF-α Expression, Leverkus M, Yaar M, Eller MS, Tang EH, Gilchrest BA, 353
Potent T Cell Stimulatory Material with Antigenic Properties in Stratum Corneum of Normal Human Skin, Hales JM, Camp RDR, 725
Potential Role for Ceramide in the Regulation of Mouse Epidermal Keratinocyte Proliferation and Differentiation, Jung E, Griner RD, Mann-Blakeney R, Bollinger Bollag W, 318
Prenatal diagnosis
Herlitz junctional epidermolysis bullosa, 174
lamellar ichthyosis, 179
Prenatal Exclusion of Lamellar Ichthyosis Based on Identification of Two New Mutations in the Transglutaminase 1 Gene, Bichakjian CK, Nair RP, Wu WW, Goldberg S, Elder JT, 179
Primary Mouse Keratinocyte Cultures Contain Hair Follicle Progenitor Cells with Multiple Differentiation Potential, Kamimura J, Lee D, Baden HP, Brissette J, Dotto GP, Correction, 102
Profilaggrin mRNA instability, in ichthyosis vulgaris, 854
Prognostic Significance of Delayed Hypersensitivity to Dinitrochlorobenzene and Mechlorethamine Hydrochloride in Cutaneous T Cell Lymphoma, Vonderheid EC, Ekbote SK, Kerrigan K, Kalmanson JD, Van Scott EJ, Rook AH, Abrams JT, 946
Programmed cell death *see* Apoptosis
Protein induced X-ray emission, 399
Protein kinase, cAMP-dependent (PKA), 332, 872
Protein kinase C
α isoform, 218
η isoform, 218
Proteinase 3, in acute wound fluid, 67
Proteins, structure in human skin, hair and nail, 393
Protoporphyrinogen oxidase gene mutations, 449, 452
Pseudoxanthoma elasticum, meeting report (Nov 1997), 840
Psoriasis: A Possible Reservoir for Human Papillomavirus Type 5, the Virus Associated with Skin Carcinomas of Epidermodysplasia Verruciformis, Favre M, Orth G, Majewski S, Baloul ş, Pura A, Jablonska S, 311
Psoriasis
CXC receptor expression, 90
genetics, 958
hepoxilins and trioxilins in, 303
human papillomavirus type 5 in, 311
MAP kinase abnormalities, 872
peptide T and HIV gp120 actions, 332
superantigens, autoantigens and pathogenic T cells, 459
TCR B chain species, 987
vitamin D receptor polymorphism and calcipotriol response, 301
Puerto Rico, Hermansky–Pudlak syndrome gene, 777
Putative Hyaluronan Synthase mRNA Are Expressed in Mouse Skin and TGF-β Upregulates Their Expression in Cultured Human Skin Cells, Sugiyama Y, Shimada A, Sayo T, Sakai S, Inoue S, 116
Pyrimidine [6–4] pyrimidone photoproducts, 143, 405, 806

Q

Quantification of Tyrosinase, TRP-1, and TRP-2 Transcripts in Human Melanocytes by Reverse Transcriptase-Competitive Multiplex PCR – Regulation by Steroid Hormones, Kippenberger S, Loitsch S, Solano F, Bernd A, Kaufmann R, 364

R

Raman Spectroscopic Studies Showing the UV Stability of Oxybenzone, *Letter,* Rapp C, Heinsohn G, Hintze U, 97
Raman spectroscopy, human skin, hair and nail, 393
Rash, in SIV-infected macaques, 894
Rat
imiquimod and S-28463 actions, 734
metallothionein localization, 98
ontogenesis of epidermal barrier function, 399
platelet-activating factor, 889
Raynaud's phenomenon, 982
Re-epithelialization of Porcine Skin By The Sweat Apparatus, Miller SJ, Burke EM, Rader MD, Coulombe PA, Lavker RM, 13
Recognition of Desmoglein 3 by Autoreactive T Cells in Pemphigus Vulgaris Patients and Normals, Hertl M, Amagai M, Sundaram H, Stanley J, Ishii K, Katz SI, 62
Red blood cell velocity, in systemic scleroderma, 982
Reduced Stability and Bi-Allelic, Coequal Expression of Profilaggrin mRNA in Keratinocytes Cultured From Subjects With Ichthyosis Vulgaris, Nirunsuksiri W, Zhang S-H, Fleckman P, 854
5α-Reductase
gene analysis, in male pattern baldness, 849
type 1, in cultured human skin cells, 84
Regulatory Effects of Heat on Normal Human Melanocyte Growth and Melanogenesis: Comparative Study with UVB, Nakazawa K, Sahuc F, Damour O, Collombel C, Nakazawa H, 972
Relationship Between Hyperproliferation and Epidermal Thickening in a Mouse Model for BCIE, Porter RM, Reichelt J, Lunny DP, Magin TM, Lane EB, 951
Requirement of the IL-2 Receptor β Chain for the Development of Vγ3 Dendritic Epidermal T Cells, Kawai K, Suzuki H, Tomiyama K, Minagawa M, Mak TW, Ohashi PS, 961
all-*trans*-Retinoic acid
phospholipase C-γ1 regulation, 730
RAR-γ binding, 297
9-*cis*-Retinoic acid, RAR-γ binding, 297
Retinoic Acid Receptor-γ in Human Epidermis Preferentially Traps All-*Trans* Retinoic Acid as its Ligand Rather than 9-*cis* Retinoic Acid, Fisher GJ, Datta SC, Voorhees JJ, 297
Retroviral vectors, 793, 800
Reverse transcriptase-competitive multiplex polymerase chain reaction, 364
RNA binding proteins, EWS family, 277
Robert Willan's Description and Treatment of Cutaneous Diseases 1797/1798: A Bicentennial, Holubar K, 101
RT-PCR for Tyrosinase-mRNA-Positive Cells in Peripheral Blood: Evaluation Strategy and Correlation with Known Prognostic Markers in 123 Melanoma Patients, Farthmann B, Eberle J, Krasagakis K, Gstöttner M, Wang N, Bisson S, Orfanos CE, 263

S

S-28463, cytokine induction, 734
Scar tissue, neurofibromin gene expression, 232
Scatter factor (SF), hair follicle growth and, 338
SCF and c-kit in Mastocytosis – a Pandora's Box Holding More Theories Than Proven Facts, *Letter*, Henz BM, 186
SCID mice, atopic dermatitis model, 224
Sciellin antibody, 277
Scleroderma
  autocrine TGF-β signaling, 47
  hemodynamics in nailfold capillaries, 982
  TIMP-3 expression, 416
Sebaceous infundibulum, isolated human, 410
Sex differences, basal cell carcinoma, 880
Sex steroids, tyrosinase, TRP-1 and TRP-2 expression and, 364
Sezary syndrome, 767, 946
Simian immunodeficiency virus (SIV), 894
[6–4] photoproducts, 143, 405, 806
16S ribosomal RNA-specific polymerase chain reaction, 211
Skin cancer
  basement membrane mRNA expression, 52
  C/EBP expression, 939
  of epidermodysplasia verruciformis, 311
  HPV infection and, 752
  in p53-deficient mice, 72
  in xeroderma pigmentosum, 832
  in *XPC* knockout mice, 405
  see also Basal cell carcinoma; Melanoma; Squamous cell carcinoma
Skin organ culture, Langerhans cell migration, 441
Skin tumors
  in multiple endocrine neoplasia type 1, 438
  telomerase RNA expression, 818
Sodium dodecyl sulfate, 358
SPARC, in human skin, 122
Sphingomyelinase, 318
Sphingosylphosphorylcholine Stimulates Proliferation and Upregulates Cell Surface-Associated Plasminogen Activator Activity in Cultured Human Keratinocytes, Wakita H, Matsushita K, Nishimura K, Tokura Y, Furukawa F, Takigawa M, 253
Squamous cell carcinoma
  C/EBP expression, 939
  in p53-deficient mice, 72
Staphylococcal enterotoxin B superantigen, 224
Staphylococcus aureus superantigens, 224, 844
Stem cell factor (SCF), in mastocytosis, 186
Steroid hormones, tyrosinase, TRP-1 and TRP-2 expression and, 364
Stratum corneum
  Raman spectroscopy, 393
  T cell epitopes, 725
  time-dependent variations in hydration, 20
  UV-induced vitamin E depletion, 756
  water sorption, 989
Structure of Water, Proteins, and Lipids in Intact Human Skin, Hair, and Nail, Gniadecka M, Nielsen OF, Christensen DH, Wulf HC, 393
Subcellular Distribution of Tight Junction-Associated Proteins (Occludin, ZO-1, ZO-2) in Rodent Skin, Morita K, Itoh M, Saitou M, Ando-Akatsuka Y, Furuse M, Yoneda K, Imamura S, Fujimoto K, Tsukita S, 862
Sun exposure, basal cell carcinoma subtypes and, 880
Sunburn cells, inhibitory effects of β-thujaplicin, 24
Sunscreens
  novel mouse model for evaluation, 343
  photo-stability, 95, 97
  sun protection factor (SPF) testing, 183, 184
Superantigen, staphylococcal enterotoxin B, 224
Superantigen Production by *Staphylococcus Aureus* in Atopic Dermatitis: No More Than a Coincidence?, *Letter*, Jappe U, Heuck D, Witte W, Gollnick H, 844
Superantigens, Autoantigens, and Pathogenic T Cells in Psoriasis, *Letter*, Nickoloff B, Wrone-Smith T, 459
Suppressor T cells, transfer of UV-induced immunosuppression, 272
Supranuclear Melanin Caps Reduce Ultraviolet Induced DNA Photoproducts in Human Epidermis, Kobayashi N, Nakagawa A, Muramatsu T, Yamashina Y, Shirai T, Hashimoto MW, Ishigaki Y, Ohnishi T, Mori T, 806
Sweat apparatus, re-epithelialization of porcine skin, 13
Systemic lupus erythematosus (SLE), T cell receptor clonotypes, 41
Systemic sclerosis
  autocrine TGF-β signaling, 47
  hemodynamics in nailfold capillaries, 982
  TIMP-3 expression, 416

T

T cell lymphoma, cutaneous, 767, 946
T cell Receptor Clonotypes in Skin Lesions from Patients with Systemic Lupus Erythematosus, Kita Y, Kuroda K, Mimori T, Hashimoto T, Yamamoto K, Saito Y, Iwamoto I, Sumida T, 41
T-cell receptors (TCR)
  in psoriasis, 987
  in systemic lupus erythematosus, 41
T cells
  antigen presentation to, be dermal dendritic cells, 762
  cytotoxic, in SIV-infected macaques, 894
  dendritic epidermal, Vγ3, 961
  desmoglein 3 responses, 62, 388
  dynamics, after UVB irradiation, 978
  γδ
    in IL-2 receptor β chain-deficient mice, 961
    in IL-7 transgenic mice, 740
  naïve hapten-specific, *in vitro* priming, 29
  penicillin-specific, 203
  presentation of haptens to, by dendritic cells, 348
  target antigens in stratum corneum, 725
  transfer of UV-induced immunosuppression, 272
T-helper-1 cells, in cutaneous T cell lymphoma, 946
T lymphocytes *see* T cells
Tanning agents, 428
Telomerase RNA, expression in human skin, 818
Temperature, skin, time-dependent variations, 20
Tetanus toxoid, 762
12-O-Tetradecanoylphorbol-13-acetate (TPA), 218, 259
TGF-β *see* Transforming growth factor-β
Three-Dimensional Visualization of Ultraviolet-Induced DNA Damage and Its Repair in Human Cell Nuclei, Nakagawa A, Kobayashi N, Muramatsu T, Yamashina Y, Shirai T, Hashimoto MW, Ikenaga M, Mori T, 143
β-Thujaplicin, 24
Thymidine kinase (HSV-tk) suicide gene, 867
Tight junction-associated proteins, 862
Time-Dependent Variations of the Skin Barrier Function in Humans: Transepidermal Water Loss, Stratum Corneum Hydration, Skin Surface pH, and Skin Temperature, Yosipovitch G, Xiong GL, Haus E, Sackett-Lundeen L, Ashkenazi I, Maibach HI, 20
Tissue inhibitor of metalloproteinases-3 (TIMP-3), in scleroderma fibroblasts, 416
TLS, in skin and stratified mucosa, 277
TNF-α *see* Tumor necrosis factor-α
Tocopherols, stratum corneum, 756
Tolerance, suppressor T cells mediating, 272
Tongue epithelium, bovine, TLS expression, 277
Towards Defining the Pathogenesis of the *Hairless* Phenotype, Panteleyev AA, van der Veen C, Rosenbach T, Müller-Röver S, Sokolov VE, Paus R, 902
Transcription factors, 34, 238
Transcription Factors C/EBPα, C/EBPβ, and CHOP (Gadd153) Expressed During the Differentiation Program of Keratinocytes *In Vitro* and *In Vivo*, Maytin EV, Habener JF, 238
Transforming growth factor-β (TGF-β)
  autocrine signaling in scleroderma, 47
  hyaluronan synthase gene upregulation, 116
  receptors, in scleroderma fibroblasts, 47
Transforming growth factor-β1 (TGF-β1)
  keratinocytes overexpressing, 800
  neurofibromin gene expression and, 232
Transgenic mice
  heritable melanoma, 247
  IL-7, dermatitis, 740
  model of UVA-induced photoaging, 343
Transglutaminase (TG), assays for congenital ichthyoses, 268
Transglutaminase 1 (TGase 1)
  in erythrodermic autosomal recessive ichthyosis, 8
  novel mutations, 179
  regulation of transcription, 34

Trinitrophenyl conjugate of trinitrobenzene sulfonic acid (TNP), 348
Trioxilins, in psoriasis, 303
TRP-1 *see* Tyrosinase related protein 1
Tuberculin, UV-induced suppression of response, 824
Tumor necrosis factor-α (TNF-α)
  ceramide interactions, 318
  in chronic venous leg ulcers, 292
  gene, melanoma cell transduction, 867
  in isolated human sebaceous infundibulum, 410
  topical imiquimod and S-28463 and, 734
  UV-induced expression, 353
Tumor necrosis factor (TNF) receptors, soluble (p55, p75), in chronic venous leg ulcers, 292
Tyrosinase
  diols inducing synthesis, 428
  in heat- and UVB-treated melanocytes, 972
  mRNA
    in circulating melanoma cells, 263
    in human melanocytes, 364
Tyrosinase related protein 1 (TRP-1, gp75)
  in heat- and UVB-treated melanocytes, 972
  intracellular stability/sorting, 324
  mRNA levels in human melanocytes, 364
Tyrosinase related protein 2 (TRP-2), mRNA levels in human melanocytes, 364
Tyrosine kinase phosphorylation, EGFR in keratinocytes, 966

U

Ulcers, chronic venous *see* Venous ulcers, chronic
Ultraviolet A (UVA) radiation
  benzoyl peroxide interaction, 79
  -induced aging, novel mouse model, 343
Ultraviolet B (UVB) radiation
  effects on melanocytes, 972
  EGFR phosphorylation, 966
  induction of apoptosis, 24
  Langerhans cell reservoir after, 422
  memory $CD4^+$ T cell recruitment, 978
  metallothionein localization and, 98
  metallothionein-null mice, 259
  p53-deficient mice, 72
  XPC knockout mice, 405
Ultraviolet Radiation Induced Suppression of Mantoux Reactions in Humans, Damian DL, Halliday GM, Taylor CA, Barnetson RStC, 824
Ultraviolet (UV) radiation
  Aloe extracts and, 811
  DNA damage induced by, 143, 405, 806
  -induced immunosuppression *see* Immunosuppression, UV-induced
  melanin supranuclear caps and, 806
  mitochondrial DNA changes, 149
  oxybenzone stability, 97
  sunscreen testing, 183, 184
  telomerase RNA expression and, 818
  TNF-α expression after, 353
  vitamin E depletion, 756
Upregulation of Tumor Suppressor Protein Neurofibromin in Normal Human Wound Healing and *In Vitro* Evidence for Platelet Derived Growth Factor (PDGF) and Transforming Growth Factor-β1 (TGF-β1) Elicited Increase in Neurofibromin mRNA Steady-State Levels in Dermal Fibroblasts, Ylä-Outinen H, Aaltonen V, Björkstrand A-S, Hirvonen O, Lakkakorpi J, Vähä-Kreula M, Laato M, Peltonen J, 232
Urokinase-type plasminogen activator-receptor (uPA-R), 253
Urokinase-type plasminogen activator (uPA), 253
UVB Radiation Preferentially Induces Recruitment of Memory $CD4^+$ T Cells in Normal Human Skin: Long-Term Effect After a Single Exposure, Di Nuzzo S, Sylva-Steenland RMR, de Rie MA, Das PK, Bos JD, Teunissen MBM, 978

V

Variegate Porphyria: Identification of a Nonsense Mutation in the Protoporphyrinogen Oxidase Gene, Frank J, Jugert FK, Kalka K, Goerz G, Merk HF, Christiano AM, 449
Venous ulcers, chronic
  collagenase-1 and α2-macroglobulin complexes, 771
  TNF-α and soluble TNF receptor levels, 292
Vibration white finger, 127
Vitamin D Receptor Polymorphism and Calcipotriol Response in Patients with Psoriasis, *Letter,* Mee JB, Cork MJ, 301
Vitamin D responsive element (VDRE), 730
Vitamin E, stratum corneum, 756

W

Water
  sorption by stratum corneum, 989
  structure in human skin, hair and nail, 393
  transepidermal loss, time-dependent variations, 20
WEB 2086 (PAF antagonist), 889
Willan, Robert, 101
Wound healing
  chronic venous leg ulcers, 292
  collagenase-1 and α2-macroglobulin complexes, 771
  keratinocyte-seeded collagen-GAG matrix, 908
  neurofibromin in, 232
  proteinase 3 activity, 67
  sphingosylphosphorylcholine and, 253
  sweat apparatus in, 13

X

Xeroderma pigmentosum
  DNA damage/repair, 143
  mouse models, 405
  XPF gene mutation, 832
XPC knockout mice, 405

Z

ZO-1, in rodent skin, 862
ZO-2, in rodent skin, 862